



# MATERIAL SAFETY DATA SHEET\_MAX-SHIELD F6XXX

(Prepared in accordance with OSHA Hazard communication standard 29 CFR 1910.1200 Section (g)(c)(1))

# SECTION 1. PRODUCT IDENTIFICATION AND MANUFACTURER

Product Name: Max-Shield F6XXX Series, include F6003, F6021, F6023, F6031, F6032

Product Use: Environmental seal silicone rubber for manufacturing of dispensing gaskets

Manufacturer: TennVac Inc.

Address: 9F-3, No. 31-1, Lane 169, Kangning Street, Xizhi District, New Taipei City, Taiwan

Telephone: +886 26951213-115

# **SECTION 2. COMPOSITION INFORMATION**

Single or Mixture	Mixture	
Component Name	CAS Number	Wt %
Dimethyl Siloxane, Dimethylvinyl-Terminated	68083-19-2	>70.0
Trimethylated Silica	68909-20-6	10.0~30.0
Dimethylcyclosiloxanes	None	1.0~5.0

## **SECTION 3. HAZARD IDENTIFICATION**

Hazards Classification None

Fire And Explosion Not considered flammable or combustible, But will burn if

Involved in a fire

**Potential Health Effect** 

Skin Contact May cause slight skin irritation, but no significant effect

Eyes Contact May cause slight eyes irritation Ingestion: No information is available.

# **SECTION 4. FIRST AID MEASURES**

Skin Contact No first aid needed

Eyes Contact Immediately flush with water.

Inhalation No first aid needed.

Oral No first aid needed.

Comments Treat symptomatically

#### **SECTION 5. FIRE FIGHTING MEASURES**

Flammable Limits In Air Not determined.

Extinguishing Media On large fires use dry chemical, foam or water spray, On small

Fires use carbon dioxide (CO2), dry chemical or water spray.

Water can be used to cool fire-exposed containers.

Special Fire Fighting Procedure None

Doc. Number: MSDS-FIP-02



Unusual Fire And Explosion Hazard

None



#### SECTION 6. ACCIDENTAL RELASE MEASURES

#### STEP TO BE TAKEN IN CASE MATERIAL IS RELEASE OR SPILLED:

Contain the spill or leak. Scrape up with cardboard or rag and place in container. For large spills, provide Dike or other appropriate containment to prevent material from spreading. If diked material can be Pumped, store recovered material in appropriate container. Clean up remaining materials from spill with Suitable absorbent. Clean area as appropriately since some silicone materials, even in small quantities, May present a slip hazard. Final cleaning may require use of steam, solvent or detergents.

#### **SECTION 7. HANDLING AND STORAGE**

#### PRECAUTION TO BE TAKEN IN HANDLING AND STORAGE:

Keep container closed when not in use. Vent the container properly to eliminate internal pressure. Store in A cool place. Keep away from heat and flame. Do not lay the container on its side. Avoid contact with Eyes and prolonged or repeated skin contact. Keep out of reach of children.

### \*\*\*INFORMATION ABOUT THE EMPTIED CONTAINER\*\*\*

Do not reuse this container. Keep away from heat, spark and flame. Do not puncture or cut this container, And do not weld on near this container.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# **EXPOSURE GUIDELINES:**

Respiratory Protection(Specify Type)

Not required

Ventilation None should be needed

Local Exhaust Not required

Mechanical(General) Not required

Special Not required

Other Not required

Protective Gloves Not required

Eye Protection Safety glasses

Protective Clothing Or Equipment Eyewash equipment

Work/Hygienic Practices Keep away from heat and flame. Avoid contact with eyes

And prolonged repeated skin contact.

# **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Boiling Point

Vapor Pressure

Vapor Density(AIR-1)

Density

Melting Point

Not applicable

Not determined

Not determined

1080 kg/m3 at 25 °C

Not determined

Evaporation Rate Negligible (BUTYL ACETATE=1)

Doc. Number: MSDS-FIP-02





Solubility In Water Not soluble

Solubility Very slight soluble in acetone, ethanol, dispersible in

Diethyl ether, aliphatic hydrocarbons, aromatic

Hydrocarbons.

Appearance(Color) Dark grey

Appearance(Form) Viscous liquid

Odor Odorless

Dynamic Viscosity >150,000 Pa.s at 25 ℃

### **SECTION 10. STABILITY AND REACTIVITY**

Chemical Stability Stable
Condition To Avoid None

Hazardous Polymerization Hazardous polymerization will not occur

Materials To Avoid Oxidizing material can cause reaction

### SECTION 11.TOXICOLOGICAL INFORMATION

Special Hazard Information On Components No known applicable information

### **SECTION 12.ECOLOGICAL INFORMATION**

Biodegradation No evidence of biodegradation

Bioaccumulation No evidence of biodegradation

Aquatic Toxicity No information is available

Other Information None

# **SECTION 13.DISPOSAL CONSIDERATIONS**

Can be burned in a chemical incinerator equipped with an afterburner and scrubber. Do not dispose The emptied container unlawfully. Observe all federal, state, and local laws.

# **SECTION 14.TRANSPORT INFORMATION**

(IMO INFORMATION)

ID No. None
Classification And Class None
Packaging Group None
Proper Shipping Name None
Technical Shipping Name None
Marine Pollutant None

(DOT INFORMATION)

ID No. None
Hazard Class None
Packaging Group None

Doc. Number: MSDS-FIP-02





Proper Shipping Name None
Technical Shipping Name None

Hazard Substance(S) Name/(CAS No.) Content % Rq: Not applicable

### **SECTION 15.REGULATORY INFORMATION**

# TOXIC SUBSTANCES CONTROL ACT (TSCA)STATUS:

Listed on the TSCA inventory.

# EUROPEAN INVENTORY OF EXISTING COMMERCIAL CHEMICAL SUBSTANCES (EINECS) STATUS:

Listed on the evinces.

### LABELING ACCORDING TO EC-REGULATIONS REQUIRED:

Symbol Not required
R-Phrase Not required
S-Phrase Not required

Contains None

SUPERFUND AMENDMENT AND REAUTHORIZATION ACT OF 1986(SARA)TITLE III SECTION 313 SUPPLIER NOTIFICATION:

THIS REGULATION REQUIES SUBMISSION OF ANNUAL REPORT OF TOXIC CHEMICALS THAT APPEAR IN SECTION 313 IF THE EMERGECY PLANNING AND COMMUNITY RIGHT-TO –KNOW ACT OF1986 AND 40 CFR 372. THIS INFORMATION MUST BE INCLUDED IN ALL MSDS'S THAT ARE COPIED AND DISTRIBUTED FOR THE MATERIAL. THE TOXIC CHEMICALS CONTAINED IN THIS PRODUCT ARE:

CHEMICAL NAME / (CAS NO) AND CONTENTS --NONE

## **CALIFORNIA PROPOSITION 65:**

THIS REGULATION REQUIRES A WARNING FOR CALIFORNIA PROPOSITON 65 CHEMICAL (S) UNDER THE STATUTE. THE CALIFORNIA PROPOSITION 65 CHEMICAL (S) CONTAINED IN THIS PRODUCT ARE:

CHEMICAL NAME /(CAS NO) AND CONTENTS

--NONE

#### **SECTION 16. OTHER INFORMATION**

For Industrial used only. This material safety data sheet is offered solely for your information, consideration And investigation. The data described in the MSDS consist of data on literature, our acquisitioned date And analogical inference by data of similar chemical substance or product.

Doc. Number: MSDS-FIP-02